

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Intended Use of the Product

Municipal and industrial water and wastewater treatment for pH, alkalinity, and calcium hardness adjustment. Sludge conditioning, compaction and volume reduction.

Name, Address, and Telephone of the Responsible Party

Manufacturer

CHEMTRADE LOGISTICS INC.

155 Gordon Baker Road

Suite 300

Toronto, Ontario M2H 3N5

For SDS Info: (416) 496-5856

www.chemtradelogistics.com

Emergency Telephone Number

Emergency Number :

Canada: CANUTEC +1-613-996-6666 / US: CHEMTREC +1-800-424-9300

INTERNATIONAL: +1-703-741-5970

Chemtrade Emergency Contact: (866) 416-4404

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification

| | |
|-----------------|------|
| Skin Irrit. 2 | H315 |
| Eye Dam. 1 | H318 |
| STOT SE 3 | H335 |
| Aquatic Acute 3 | H402 |

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS Labeling

Hazard Pictograms



Signal Word

: Danger

Hazard Statements

: H315 - Causes skin irritation
 H318 - Causes serious eye damage
 H335 - May cause respiratory irritation
 H402 - Harmful to aquatic life

Precautionary Statements

: P261 - Avoid breathing mist, spray, vapors.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P273 - Avoid release to the environment.
 P280 - Wear eye protection, protective clothing, protective gloves.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

P310 - Immediately call a POISON CENTER, a doctor.
P312 - Call a poison center or doctor if you feel unwell.
P321 - Specific treatment (see Section 4 on this SDS).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P362 - Take off contaminated clothing and wash before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown acute toxicity

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | %* | GHS Ingredient Classification |
|-------------------|---------------------|---------|---|
| Water | (CAS-No.) 7732-18-5 | 65 - 95 | Not classified |
| Calcium hydroxide | (CAS-No.) 1305-62-0 | 5 - 35 | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402 |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. Ventilate the area.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. May be corrosive to the respiratory tract.

Inhalation: May cause respiratory irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Product is not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Contact with metals may evolve flammable hydrogen gas.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water sources.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Oxides of calcium.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing vapor, mist, or spray.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Contact competent authorities after a spill.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Absorb and/or contain spill with inert material, then place in suitable container. Dispose in a safe manner in accordance with local/national regulations. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures and incompatible materials. Store locked up.

Incompatible Materials: Strong acids. Strong oxidizers. Metals.

Specific End Use(s)

Municipal and industrial water and wastewater treatment for pH, alkalinity, and calcium hardness adjustment. Sludge conditioning, compaction and volume reduction.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

| Calcium hydroxide (1305-62-0) | | |
|-------------------------------|-------------------------------------|--|
| Mexico | OEL TWA (mg/m ³) | 5 mg/m ³ |
| USA ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction) |

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | | |
|-------------------------|--------------------------------------|----------------------|
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ |
| Alberta | OEL TWA (mg/m ³) | 5 mg/m ³ |
| British Columbia | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Manitoba | OEL TWA (mg/m ³) | 5 mg/m ³ |
| New Brunswick | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Nova Scotia | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Nunavut | OEL STEL (mg/m ³) | 10 mg/m ³ |
| Nunavut | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Northwest Territories | OEL STEL (mg/m ³) | 10 mg/m ³ |
| Northwest Territories | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Ontario | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Prince Edward Island | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Québec | VEMP (mg/m ³) | 5 mg/m ³ |
| Saskatchewan | OEL STEL (mg/m ³) | 10 mg/m ³ |
| Saskatchewan | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Yukon | OEL STEL (mg/m ³) | 10 mg/m ³ |
| Yukon | OEL TWA (mg/m ³) | 5 mg/m ³ |

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Consumer Exposure Controls: Do not eat, drink or smoke during use

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | |
|---------------------------|------------------|
| Physical State | : Liquid |
| Appearance | : White |
| Odor | : Odorless |
| Odor Threshold | : Not available |
| pH | : 12.44 |
| Evaporation Rate | : Not available |
| Melting Point | : Not applicable |
| Freezing Point | : 0° C (32° F) |
| Boiling Point | : Not available |
| Flash Point | : Not applicable |
| Auto-ignition Temperature | : Not applicable |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not applicable |

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | |
|--|------------------|
| Upper Flammable Limit | : Not applicable |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : 1.03 - 1.24 |
| Solubility | : Not available |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Contact with metals may evolve flammable hydrogen gas.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Metal.

Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.

pH: 12.44

Eye Damage/Irritation: Causes serious eye damage.

pH: 12.44

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Aspiration Hazard: Not classified

Symptoms/Effects After Inhalation: May cause respiratory irritation.

Symptoms/Effects After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Effects After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

Symptoms/Effects After Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|--------------------------------------|---------------|
| Calcium hydroxide (1305-62-0) | |
| LD50 Oral Rat | 7340 mg/kg |
| Water (7732-18-5) | |
| LD50 Oral Rat | > 90000 mg/kg |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

Persistence and Degradability

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | |
|--------------------------------------|------------------|
| Persistence and Degradability | Not established. |
|--------------------------------------|------------------|

Bioaccumulative Potential

| | |
|---|----------------------|
| CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35% | |
| Bioaccumulative Potential | Not established. |
| Calcium hydroxide (1305-62-0) | |
| BCF Fish 1 | (no bioaccumulation) |

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

Not regulated for transport according to: US DOT, IMDG, IATA, and Canada's TDG

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| Chemical Name (CAS No.) | CERCLA RQ | EPCRA 304 RQ | SARA 302 TPQ | SARA 313 |
|-------------------------------|----------------|----------------|----------------|----------|
| Calcium hydroxide (1305-62-0) | Not applicable | Not applicable | Not applicable | No |

SARA 311/312

| |
|---|
| CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35% |
| Immediate (acute) health hazard |

US TSCA Flags Not present

US State Regulations

California Proposition 65

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|-------------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Calcium hydroxide (1305-62-0) | No | No | No | No |

State Right-To-Know Lists

| |
|---|
| Calcium hydroxide (1305-62-0) |
| U.S. - Massachusetts - Right To Know List - Yes |
| U.S. - New Jersey - Right to Know Hazardous Substance List - Yes |
| U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No |
| U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No |
| U.S. - Pennsylvania - RTK (Right to Know) List - Yes |

Canadian Regulations

| |
|--|
| Calcium hydroxide (1305-62-0) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Not listed on the Canadian NDSL (Non-Domestic Substances List) |

International Inventories/Lists

| Chemical Name (CAS No.) | Australia AICS | Turkey CICR | Korea ECL | EU EINECS | EU ELINCS | EU SVHC | EU NLP | Mexico INSQ |
|-------------------------------|----------------|-------------|-----------|-----------|-----------|---------|--------|-------------|
| Calcium hydroxide (1305-62-0) | Yes | Yes | Yes | Yes | No | No | No | Yes |

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| Chemical Name (CAS No.) | China IECSC | Japan ENCS | Japan ISHL | Japan PDSCCL | Japan PRTR | Philippines PICCS | New Zealand NZIOC | US TSCA |
|-------------------------------|-------------|------------|------------|--------------|------------|-------------------|-------------------|---------|
| Calcium hydroxide (1305-62-0) | Yes | Yes | No | No | No | Yes | Yes | Yes |

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/26/2018

Revision Summary

| Section | Change | Date Changed |
|-------------------|----------------------------------|--------------|
| Header, 1, 12, 15 | Language (product name) modified | 06/26/2018 |
| 9 | Data modified | 06/26/2018 |


Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:

| | |
|---------------|---|
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

NFPA 704

- NFPA Health Hazard** : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
- NFPA Fire Hazard** : 0 - Materials that will not burn under typical fire conditions.
- NFPA Reactivity Hazard** : 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS Rating

- Health** : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
- Flammability** : 0 Minimal Hazard
- Physical** : 0 Minimal Hazard
- PPE** : See Section 8

Abbreviations and Acronyms

| | |
|---|---|
| AICS – Australian Inventory of Chemical Substances | LC50 - Median Lethal Concentration |
| ACGIH – American Conference of Governmental Industrial Hygienists | LD50 - Median Lethal Dose |
| AIHA – American Industrial Hygiene Association | LOAEL - Lowest Observed Adverse Effect Level |
| ATE - Acute Toxicity Estimate | LOEC - Lowest-observed-effect Concentration |
| BCF - Bioconcentration factor | Log Pow - Octanol/water Partition Coefficient |
| BEI - Biological Exposure Indices (BEI) | NFPA 704 – National Fire Protection Association - Standard System for the Identification of the Hazards of Materials for Emergency Response |
| CAS No. - Chemical Abstracts Service number | NIOSH - National Institute for Occupational Safety and Health |
| CERCLA RQ - Comprehensive Environmental Response, Compensation, and Liability Act - Reportable Quantity | NLP - Europe No Longer Polymers List |
| CICR - Turkish Inventory and Control of Chemicals | NOAEL - No-Observed Adverse Effect Level |
| DOT – 49 CFR – US Department of Transportation – Code of Federal Regulations Title 49 – Transportation. | NOEC - No-Observed Effect Concentration |
| EC50 - Median effective concentration | NZIOC - New Zealand Inventory of Chemicals |
| ECL - Korea Existing Chemicals List | OEL - Occupational Exposure Limits |
| EINECS - European Inventory of Existing Commercial Chemical Substances | OSHA – Occupational Safety and Health Administration |
| ELINCS - European List of Notified Chemical Substances | PEL - Permissible Exposure Limits |
| EmS - IMDG Emergency Schedule Fire & Spillage | PICCS - Philippine Inventory of Chemicals and Chemical Substances |
| ENCS - Japanese Existing and New Chemical Substances Inventory | PDSCCL - Japan Poisonous and Deleterious Substances Control Law |
| EPA – Environmental Protection Agency | PPE – Personal Protective Equipment |
| EPCRA 304 RQ – EPCRA 304 Extremely Hazardous Substance Emergency | PRTR - Japan Pollutant Release and Transfer Register |
| | REL - Recommended Exposure Limit |

CAL~FLO Slurry, 5%, 10%, 15%, 20%, 25%, 30%, 35%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | |
|--|--|
| Planning and Community Right-to-Know-Act – Reportable Quantity | SADT - Self Accelerating Decomposition Temperature |
| ERAP Index – Emergency Response Assistance Plan Quantity Limit | SARA - Superfund Amendments and Reauthorization Act |
| ErC50 - EC50 in Terms of Reduction Growth Rate | SARA 302 - Section 302, 40 CFR Part 355 |
| ERG code (IATA) - Emergency Response Drill Code as found in the International Civil Aviation Organization (ICAO) | SARA 311/312 - Sections 311 and 312, 40 CFR Part 370 Hazard Categories |
| ERG No. - Emergency Response Guide Number | SARA 313 - Section 313, 40 CFR Part 372 |
| HCCL - Hazard Communication Carcinogen List | SRCL - Specifically Regulated Carcinogen List |
| HMIS – Hazardous Materials Information System | STEL - Short Term Exposure Limit |
| IARC - International Agency for Research on Cancer | SVHC – European Candidate List of Substance of Very High Concern |
| IATA - International Air Transport Association – Dangerous Goods Regulations | TDG – Transport Canada Transport of Dangerous Goods Regulations |
| IDLH - Immediately Dangerous to Life or Health | TLM - Median Tolerance Limit |
| IECSC - Inventory of Existing Chemical Substances Produced or Imported in China | TLV - Threshold Limit Value |
| IMDG - International Maritime Dangerous Goods Code | TPQ - Threshold Planning Quantity |
| INSQ - Mexican National Inventory of Chemical Substances | TSCA – United States Toxic Substances Control Act |
| ISHL - Japan Industrial Safety and Health Law | TWA - Time Weighted Average |
| | WEEL - Workplace Environmental Exposure Levels |

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care™.



Chemtrade NA GHS SDS 2015