



Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Revision Date: 03/31/2017

Date of Issue: 05/08/2015

Version: 2.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixtures

Product Name: Caustic Soda 25%

Intended Use of the Product

Neutralizer and alkalinity control in analytical chemistry. Absorption of NO_x, SO₃ and CO₂ in gas streams. Manufacture of high-purity sodium compounds. Etchant in semiconductor wet processing. Photo-engraving and lithography. Hydrolyzing fats in soaps.

Bleaching textiles and mercerizing cotton.

Name, Address, and Telephone of the Responsible Party

Manufacturer

CHEMTRADE LOGISTICS INC.

155 Gordon Baker Road

Suite 300

Toronto, Ontario M2H 3N5

For SDS Info: (416) 496-5856

www.chemtradelogistics.com

Emergency Telephone Number

Emergency Number :

Canada: CANUTEC +1-613-996-6666 / US: CHEMTREC +1-800-424-9300

INTERNATIONAL: +1-703-741-5970

Chemtrade Emergency Contact: (866) 416-4404

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification

Met. Corr. 1 H290

Skin Corr. 1A H314

Eye Dam. 1 H318


Aquatic Acute 3 H402

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS Labeling

Hazard Pictograms



Signal Word

: Danger

Hazard Statements

: H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H402 - Harmful to aquatic life

Precautionary Statements

: P234 - Keep only in original container.
P260 - Do not breathe vapors, mist, spray.
P264 - Wash hands, forearms, and exposed areas thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective clothing, protective gloves, face protection.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor.
P321 - Specific treatment (see Section 4).
P363 - Wash contaminated clothing before reuse.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown acute toxicity

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | %* | GHS Ingredient Classification |
|------------------|---------------------|---------|--|
| Water | (CAS-No.) 7732-18-5 | 72 - 77 | Not classified |
| Sodium hydroxide | (CAS-No.) 1310-73-2 | 22 - 27 | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402 |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Immediately flush skin with plenty of water for at least 60 minutes. Remove contaminated clothing. Get immediate medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage.

Inhalation: May be corrosive to respiratory tract.

Skin Contact: Corrosive. Causes burns.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Corrosive vapors.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect spillage.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist, or spray.

Additional Hazards When Processed: May release corrosive vapors.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Metals.

Special Rules on Packaging: Store in original container or corrosive resistant and/or lined container.

Specific End Use(s)

Neutralizer and alkalinity control in analytical chemistry. Absorption of NO_x, SO₃ and CO₂ in gas streams. Manufacture of high-purity sodium compounds. Etchant in semiconductor wet processing. Photo-engraving and lithography. Hydrolyzing fats in soaps. Bleaching textiles and mercerizing cotton.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| Sodium hydroxide (1310-73-2) | | |
|------------------------------|--|----------------------|
| Mexico | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| USA ACGIH | ACGIH Ceiling (mg/m ³) | 2 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 2 mg/m ³ |
| USA NIOSH | NIOSH REL (ceiling) (mg/m ³) | 2 mg/m ³ |
| USA IDLH | US IDLH (mg/m ³) | 10 mg/m ³ |
| Alberta | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| British Columbia | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Manitoba | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| New Brunswick | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Newfoundland & Labrador | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Nova Scotia | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Nunavut | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Northwest Territories | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Ontario | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Prince Edward Island | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Québec | PLAFOND (mg/m ³) | 2 mg/m ³ |
| Saskatchewan | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Yukon | OEL Ceiling (mg/m ³) | 2 mg/m ³ |

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing. Face shield. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | |
|---------------------------|-----------------|
| Physical State | : Liquid |
| Appearance | : Not available |
| Odor | : Not available |
| Odor Threshold | : Not available |
| pH | : 13 - 14 |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : Not available |
| Auto-ignition Temperature | : Not available |

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | |
|---|------------------|
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : 1.15 - 1.54 |
| Solubility | : Not available |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures. Ignition sources. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Metals.

Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

pH: 13 - 14

Eye Damage/Irritation: Causes serious eye damage.

pH: 13 - 14

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Effects After Inhalation: May be corrosive to respiratory tract.

Symptoms/Effects After Skin Contact: Corrosive. Causes burns.

Symptoms/Effects After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Effects After Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data: Not available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Ecology - Water: Harmful to aquatic life.

Sodium hydroxide (1310-73-2)

| | |
|--------------------|---|
| LC50 Fish 1 | 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
|--------------------|---|

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

| | |
|----------------|---------|
| EC50 Daphnia 1 | 40 mg/l |
|----------------|---------|

Persistence and Degradability Not available

Bioaccumulative Potential Not available

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.





SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

| TRANSPORTATION CLASSIFICATION | DOT | TDG | IMDG | IATA |
|-------------------------------|--|--|--|--|
| Identification Number | UN1824 | UN1824 | UN1824 | UN1824 |
| Proper Shipping Name | SODIUM HYDROXIDE SOLUTION | SODIUM HYDROXIDE SOLUTION | SODIUM HYDROXIDE SOLUTION | SODIUM HYDROXIDE SOLUTION |
| Transport Hazard Class(es) | 8 | 8 | 8 | 8 |
| |  |  |  |  |
| Packing Group | II | II | II | II |
| Environmental Hazards | Marine Pollutant : No | Marine Pollutant : No | Marine Pollutant : No | Marine Pollutant: N/A |
| Emergency Response | ERG Number : 154 | ERAP Index: Not applicable | EMS: F-A, S-B | ERG code (IATA): 8L |
| Additional Information | Not applicable | Not applicable | Not applicable | Not applicable |

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| Chemical Name (CAS No.) | CERCLA RQ | EPCRA 304 RQ | SARA 302 TPQ | SARA 313 |
|------------------------------|-----------|----------------|----------------|----------|
| Sodium hydroxide (1310-73-2) | 1000 lb | Not applicable | Not applicable | No |

SARA 311/312

| |
|---------------------------------|
| Caustic Soda 25% |
| Immediate (acute) health hazard |

US TSCA Flags Not present

US State Regulations

California Proposition 65

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|------------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Sodium hydroxide (1310-73-2) | No | No | No | No |

State Right-To-Know Lists

| |
|------------------------------|
| Sodium hydroxide (1310-73-2) |
|------------------------------|

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Canadian Regulations

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Not listed on the Canadian NDSL (Non-Domestic Substances List)

International Inventories/Lists

| Chemical Name (CAS No.) | Australia AICS | Turkey CICR | Korea ECL | EU EINECS | EU ELINCS | EU SVHC | EU NLP | Mexico INSQ |
|------------------------------|----------------|-------------|------------|-------------|------------|-------------------|-------------------|-------------|
| Sodium hydroxide (1310-73-2) | Yes | Yes | Yes | Yes | No | No | No | Yes |
| Chemical Name (CAS No.) | China IECSC | Japan ENCS | Japan ISHL | Japan PDSCL | Japan PRTR | Philippines PICCS | New Zealand NZIOC | US TSCA |
| Sodium hydroxide (1310-73-2) | Yes | Yes | No | Yes | No | Yes | Yes | Yes |

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 03/31/2017

Revision Summary

| Section | Change | Date Changed |
|---------|-------------------|--------------|
| 4 | Language modified | 03/31/2017 |
| 5 | Language modified | 03/31/2017 |
| 6 | Language modified | 03/31/2017 |
| 7 | Language modified | 03/31/2017 |
| 8 | Language modified | 03/31/2017 |
| 10 | Language modified | 03/31/2017 |
| 11 | Language modified | 03/31/2017 |

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:

| | |
|-----------------|--|
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| HHNOC 1 | Health Hazards Not Otherwise Classified, Category 1 |
| Met. Corr. 1 | Corrosive to metals Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| H290 | May be corrosive to metals |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H402 | Harmful to aquatic life |

NFPA 704

NFPA Health Hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.


NFPA Fire Hazard : 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

NFPA Reactivity Hazard : 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



HMIS Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard

Physical : 1 Slight Hazard

PPE : See Section 8

Abbreviations and Acronyms

| | |
|---|---|
| AICS - Australian Inventory of Chemical Substances | ISHL - Japan Industrial Safety and Health Law |
| ACGIH - American Conference of Governmental Industrial Hygienists | LC50 - Median Lethal Concentration |
| AIHA - American Industrial Hygiene Association | LD50 - Median Lethal Dose |
| ATE - Acute Toxicity Estimate | LOAEL - Lowest Observed Adverse Effect Level |
| BCF - Bioconcentration factor | LOEC - Lowest-observed-effect Concentration |
| BEI - Biological Exposure Indices (BEI) | NFPA 704 - National Fire Protection Association - Standard System for the Identification of the Hazards of Materials for Emergency Response |
| CAS No. - Chemical Abstracts Service number | NIOSH - National Institute for Occupational Safety and Health |
| CERCLA RQ - Comprehensive Environmental Response, Compensation, and Liability Act - Reportable Quantity | NLP - Europe No Longer Polymers List |
| CICR - Turkish Inventory and Control of Chemicals | NOAEL - No-Observed Adverse Effect Level |
| DOT - 49 CFR - US Department of Transportation - Code of Federal Regulations Title 49 - Transportation. | NOEC - No-Observed Effect Concentration |
| EC50 - Median effective concentration | NZIOC - New Zealand Inventory of Chemicals |
| ECL - Korea Existing Chemicals List | OEL - Occupational Exposure Limits |
| EINECS - European Inventory of Existing Commercial Chemical Substances | OSHA - Occupational Safety and Health Administration |
| ELINCS - European List of Notified Chemical Substances | PEL - Permissible Exposure Limits |
| EmS - IMDG Emergency Schedule Fire & Spillage | PICCS - Philippine Inventory of Chemicals and Chemical Substances |
| ENCS - Japanese Existing and New Chemical Substances Inventory | PDSCL - Japan Poisonous and Deleterious Substances Control Law |
| EPA - Environmental Protection Agency | PPE - Personal Protective Equipment |
| EPCRA 304 RQ - EPCRA 304 Extremely Hazardous Substance Emergency Planning and Community Right-to-Know-Act - Reportable Quantity | PRTR - Japan Pollutant Release and Transfer Register |
| ERAP Index - Emergency Response Assistance Plan Quantity Limit | REL - Recommended Exposure Limit |
| ErC50 - EC50 in Terms of Reduction Growth Rate | SADT - Self Accelerating Decomposition Temperature |
| ERG code (IATA) - Emergency Response Drill Code as found in the International Civil Aviation Organization (ICAO) | SARA - Superfund Amendments and Reauthorization Act |
| ERG No. - Emergency Response Guide Number | SARA 302 - Section 302, 40 CFR Part 355 |
| HCCL - Hazard Communication Carcinogen List | SARA 311/312 - Sections 311 and 312, 40 CFR Part 370 Hazard Categories |
| HMIS - Hazardous Materials Information System | SARA 313 - Section 313, 40 CFR Part 372 |
| IARC - International Agency for Research on Cancer | SRCL - Specifically Regulated Carcinogen List |
| IATA - International Air Transport Association - Dangerous Goods Regulations | STEL - Short Term Exposure Limit |
| IDLH - Immediately Dangerous to Life or Health | SVHC - European Candidate List of Substance of Very High Concern |
| IECSC - Inventory of Existing Chemical Substances Produced or Imported in China | TDG - Transport Canada Transport of Dangerous Goods Regulations |
| IMDG - International Maritime Dangerous Goods Code | TLM - Median Tolerance Limit |
| INSQ - Mexican National Inventory of Chemical Substances | TLV - Threshold Limit Value |
| | TPQ - Threshold Planning Quantity |
| | TSCA - United States Toxic Substances Control Act |
| | TWA - Time Weighted Average |
| | WEEL - Workplace Environmental Exposure Levels |

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care™.

Caustic Soda 25%

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.



Chemtrade NA GHS SDS 2015