



Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Revision Date: 01/03/2019

Date of Issue: 03/19/2015

Version: 4.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Intended Use of the Product

Food and Pharmaceutical Ingredient. Food additive, acid neutralization, industrial use. For professional use only.

REACH Registration Number: 01-2119457892-27-0213

Name, Address, and Telephone of the Responsible Party

Manufacturer

CHEMTRADE LOGISTICS INC.

155 Gordon Baker Road

Suite 300

Toronto, Ontario M2H 3N5

For SDS Info: (416) 496-5856

www.chemtradelogistics.com

Emergency Telephone Number

Emergency Number :

Canada: CANUTEC +1-613-996-6666 / US: CHEMTREC +1-800-424-9300

INTERNATIONAL: +1-703-741-5970

Chemtrade Emergency Contact: (866) 416-4404

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
Aquatic Acute 3	H402

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS Labeling

Hazard Pictograms

:



Signal Word

: Danger

Precautionary Statements

: P234 - Keep only in original container.

P260 - Do not breathe dust.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

P363 - Wash contaminated clothing before reuse.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown acute toxicity

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	%*	GHS Ingredient Classification
Sodium hydroxide	(CAS-No.) 1310-73-2	80 – 100 ⁺	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Disodium carbonate	(CAS-No.) 497-19-8	0.1 - 5 ⁺	Eye Irrit. 2A, H319
Water	(CAS-No.) 7732-18-5	0.1 - 5	Not classified

Full text of H-phrases: see section 16.

*The actual concentration of the ingredient(s) is withheld as a trade secret in accordance with Regulations Amending the Hazardous Products Regulations (HPR) SOR/2018-68 and 29 CFR 1910.1200.

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 60 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Corrosive to respiratory tract. Causes severe skin burns and eye damage. Causes serious eye damage. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Dry powder, alcohol-resistant foam, water in large amounts, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: May release flammable hydrogen gas on contact with some metals.

Reactivity: Reacts exothermically with (some) acids. Contact with metals may evolve flammable hydrogen gas. Reacts violently with water.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from fire-fighting to enter drains or water courses. Water may be ineffective to fight fire, but water should be used to keep exposed containers cool.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Hydrogen.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing dust.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Eliminate ignition sources. Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Recover the product by vacuuming, shoveling or sweeping. Minimize generation of dust. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not handle until all safety precautions have been read and understood. Do not breathe dust. Use appropriate personal protective equipment (PPE).

Additional Hazards When Processed: May be corrosive to metals.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Store in original container or corrosive resistant and/or lined container. Keep/Store away from extremely high or low temperatures and incompatible materials. Storage areas should be periodically checked for corrosion and integrity.

Incompatible Materials: Metals, oxidizing agents, water, acids, aluminium, light metals and their alloys.

Specific End Use(s)

Food and Pharmaceutical Ingredient. Food additive, acid neutralization, industrial use. For professional use only.

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
Alberta	OEL Ceiling (mg/m ³)	2 mg/m ³
British Columbia	OEL Ceiling (mg/m ³)	2 mg/m ³
Manitoba	OEL Ceiling (mg/m ³)	2 mg/m ³
New Brunswick	OEL Ceiling (mg/m ³)	2 mg/m ³
Newfoundland & Labrador	OEL Ceiling (mg/m ³)	2 mg/m ³
Nova Scotia	OEL Ceiling (mg/m ³)	2 mg/m ³
Nunavut	OEL Ceiling (mg/m ³)	2 mg/m ³
Northwest Territories	OEL Ceiling (mg/m ³)	2 mg/m ³
Ontario	OEL Ceiling (mg/m ³)	2 mg/m ³
Prince Edward Island	OEL Ceiling (mg/m ³)	2 mg/m ³
Québec	PLAFOND (mg/m ³)	2 mg/m ³
Saskatchewan	OEL Ceiling (mg/m ³)	2 mg/m ³
Yukon	OEL Ceiling (mg/m ³)	2 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective goggles. Face shield. Protective clothing. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Opaque White Solid
Odor	: None
Odor Threshold	: Not available
pH	: 13.5 (0.1M Solution)
Evaporation Rate	: Not available
Melting Point	: 360 °C (680 °F)
Freezing Point	: Not available

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Boiling Point	: 1320 °C (2408 °F)
Flash Point	: Not flammable
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: 2.044
Solubility	: 90 g/100 g water at 20°C (68°F)
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Reacts exothermically with (some) acids. Contact with metals may evolve flammable hydrogen gas. Reacts violently with water.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures and incompatible materials.

Incompatible Materials: Metals, oxidizing agents, water, acids, aluminum, light metals and their alloys.

Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

pH: 13.5 (0.1M Solution)

Eye Damage/Irritation: Causes serious eye damage.

pH: 13.5 (0.1M Solution)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Effects After Inhalation: Inhalation may cause immediate severe irritation progressing quickly to chemical burns.

Symptoms/Effects After Skin Contact: Causes severe skin burns.

Symptoms/Effects After Eye Contact: Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

Symptoms/Effects After Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Disodium carbonate (497-19-8)	
LD50 Oral Rat	4090 mg/kg

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

LC50 Inhalation Rat	2300 mg/m ³ (Exposure time: 2 h)
---------------------	---

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life. High pH (alkalinity) of product may be harmful to aquatic life.

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
Disodium carbonate (497-19-8)	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Persistence and Degradability

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP	
Persistence and Degradability	Not established.

Bioaccumulative Potential

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP	
Bioaccumulative Potential	Not established.
Disodium carbonate (497-19-8)	
BCF Fish 1	(no bioaccumulation)

Mobility in Soil

Not available

Other Adverse Effects





Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION	DOT	TDG	IMDG	IATA
Identification Number	UN1823	UN1823	UN1823	UN1823
Proper Shipping Name	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID
Transport Hazard Class(es)	8	8	8	8
				
Packing Group	II	II	II	II
Environmental Hazards	Marine Pollutant : No	Marine Pollutant : No	Marine Pollutant : No	Marine Pollutant: N/A
Emergency Response	ERG Number : 154	ERAP Index: Not applicable	EMS: F-A, S-B	ERG code (IATA): 8L
Additional Information	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Chemical Name (CAS No.)	CERCLA RQ	EPCRA 304 RQ	SARA 302 TPQ	SARA 313
Sodium hydroxide (1310-73-2)	1000 lb	Not applicable	Not applicable	No

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Disodium carbonate (497-19-8)	Not applicable	Not applicable	Not applicable	No
-------------------------------	----------------	----------------	----------------	----

SARA 311/312

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP
Immediate (acute) health hazard.

US TSCA Flags

Not present

US State Regulations

California Proposition 65

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Sodium hydroxide (1310-73-2)	No	No	No	No
Disodium carbonate (497-19-8)	No	No	No	No

State Right-To-Know Lists

Sodium hydroxide (1310-73-2)
U.S. - Massachusetts - Right To Know List - Yes U.S. - New Jersey - Right to Know Hazardous Substance List - Yes U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - Yes U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No U.S. - Pennsylvania - RTK (Right to Know) List - Yes
Disodium carbonate (497-19-8)
U.S. - Massachusetts - Right To Know List - No U.S. - New Jersey - Right to Know Hazardous Substance List - No U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No U.S. - Pennsylvania - RTK (Right to Know) List - No

Canadian Regulations

Sodium hydroxide (1310-73-2)
Listed on the Canadian DSL (Domestic Substances List) Not listed on the Canadian NDSL (Non-Domestic Substances List)
Disodium carbonate (497-19-8)
Listed on the Canadian DSL (Domestic Substances List) Not listed on the Canadian NDSL (Non-Domestic Substances List)

International Inventories/Lists

Chemical Name (CAS No.)	Australia AICS	Turkey CICR	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EU NLP	Mexico INSQ
Sodium hydroxide (1310-73-2)	Yes	Yes	Yes	Yes	No	No	No	Yes
Disodium carbonate (497-19-8)	Yes	Yes	Yes	Yes	No	No	No	Yes
Chemical Name (CAS No.)	China IECS	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR	Philippines PICCS	New Zealand NZIOC	US TSCA
Sodium hydroxide (1310-73-2)	Yes	Yes	No	Yes	No	Yes	Yes	Yes
Disodium carbonate (497-19-8)	Yes	Yes	Yes	No	No	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 01/03/2019

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Revision Summary

Section	Change	Date Changed
3	Ingredient composition range	01/03/2019

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:


Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H402	Harmful to aquatic life

NFPA 704

NFPA Health Hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA Fire Hazard : 0 - Materials that will not burn under typical dire conditions.

NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard

Physical : 0 Minimal Hazard

PPE : See Section 8

Abbreviations and Acronyms

AICS - Australian Inventory of Chemical Substances	LC50 - Median Lethal Concentration
ACGIH - American Conference of Governmental Industrial Hygienists	LD50 - Median Lethal Dose
AIHA - American Industrial Hygiene Association	LOAEL - Lowest Observed Adverse Effect Level
ATE - Acute Toxicity Estimate	LOEC - Lowest-observed-effect Concentration
BCF - Bioconcentration factor	Log Pow - Octanol/water Partition Coefficient
BEI - Biological Exposure Indices (BEI)	NFPA 704 - National Fire Protection Association - Standard System for the Identification of the Hazards of Materials for Emergency Response
CAS No. - Chemical Abstracts Service number	NIOSH - National Institute for Occupational Safety and Health
CERCLA RQ - Comprehensive Environmental Response, Compensation, and Liability Act - Reportable Quantity	NLP - Europe No Longer Polymers List
CICR - Turkish Inventory and Control of Chemicals	NOAEL - No-Observed Adverse Effect Level
DOT - 49 CFR - US Department of Transportation - Code of Federal Regulations Title 49 - Transportation.	NOEC - No-Observed Effect Concentration
EC50 - Median effective concentration	NZIOC - New Zealand Inventory of Chemicals
ECL - Korea Existing Chemicals List	OEL - Occupational Exposure Limits
EINECS - European Inventory of Existing Commercial Chemical Substances	OSHA - Occupational Safety and Health Administration
ELINCS - European List of Notified Chemical Substances	PEL - Permissible Exposure Limits
EmS - IMDG Emergency Schedule Fire & Spillage	PICCS - Philippine Inventory of Chemicals and Chemical Substances
ENCS - Japanese Existing and New Chemical Substances Inventory	PDSCL - Japan Poisonous and Deleterious Substances Control Law
EPA - Environmental Protection Agency	PPE - Personal Protective Equipment
EPCRA 304 RQ - EPCRA 304 Extremely Hazardous Substance Emergency Planning and Community Right-to-Know-Act - Reportable Quantity	PRTR - Japan Pollutant Release and Transfer Register
ERAP Index - Emergency Response Assistance Plan Quantity Limit	REL - Recommended Exposure Limit
ErC50 - EC50 in Terms of Reduction Growth Rate	SADT - Self Accelerating Decomposition Temperature
ERG code (IATA) - Emergency Response Drill Code as found in the International Civil Aviation Organization (ICAO)	SARA - Superfund Amendments and Reauthorization Act
	SARA 302 - Section 302, 40 CFR Part 355
	SARA 311/312 - Sections 311 and 312, 40 CFR Part 370 Hazard Categories
	SARA 313 - Section 313, 40 CFR Part 372

Sodium Hydroxide Pellets, ACS, NF/FCC, EP, JP, BP

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

ERG No. - Emergency Response Guide Number	SRCL - Specifically Regulated Carcinogen List
HCCL - Hazard Communication Carcinogen List	STEL - Short Term Exposure Limit
HMIS - Hazardous Materials Information System	SVHC - European Candidate List of Substance of Very High Concern
IARC - International Agency for Research on Cancer	TDG - Transport Canada Transport of Dangerous Goods Regulations
IATA - International Air Transport Association - Dangerous Goods Regulations	TLM - Median Tolerance Limit
IDLH - Immediately Dangerous to Life or Health	TLV - Threshold Limit Value
IECSC - Inventory of Existing Chemical Substances Produced or Imported in China	TPQ - Threshold Planning Quantity
IMDG - International Maritime Dangerous Goods Code	TSCA - United States Toxic Substances Control Act
INSQ - Mexican National Inventory of Chemical Substances	TWA - Time Weighted Average
ISHL - Japan Industrial Safety and Health Law	WEEL - Workplace Environmental Exposure Levels

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care™.



Chemtrade NA GHS SDS 2015