

**Section 1. Identification****Product identifier****Product Identity** AI Pro 60 (CHE-6267S)**Other means of identification** Not Applicable**Relevant identified uses of the substance or mixture and uses advised against**

Municipal wastewater and industrial water and wastewater treatment for the removal of turbidity, color, suspended solids and phosphorus. Sludge compaction and volume reduction. Lagoon treatment. Oily wastewater clarification and dissolved air flotation. Emulsion breaking.

**Restrictions on use:**

Not available

**Details of the supplier of the safety data sheet****Company Name**

Chemtrade Logistics Inc. (Canada)  
155 Gordon Baker Road Suite 300  
Toronto, Ontario M2H 3N5  
(416) 496-5856

Chemtrade Logistics Inc. (US)  
90 East Halsey Road, Suite 200  
Parsippany, NJ 07054  
(800) 228- 8558

**Emergency****24 hour Emergency Telephone No.**

Chemtrade Emergency Contact: (866) 416-4404 (US and Canada)  
CHEMTREC +1-800-424-9300  
For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

**Customer Service:**

For SDS Info: (416) 496-5856  
[www.chemtradelogistics.com](http://www.chemtradelogistics.com)

**Section 2. Hazard(s) identification****Classification of the substance or mixture**

Skin corrosion/irritation category 2;H315

Causes skin irritation.

Serious eye damage / eye irritation, category 2A;H319

Causes serious eye irritation.

**Label elements****Warning**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**[Prevention]:**

P264 Wash thoroughly after handling.

P280 Wear protective gloves, eye protection, and face protection.

**[Response]:**

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313 If skin irritation occurs: Get medical attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

**[Storage]:**

No GHS storage statements

**[Disposal]:**

No GHS disposal statements

**Other hazards**

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

### Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> ) CAS Number: 53810-32-5 Synonyms: tetraaluminium hexahydroxide tris(sulphate)	30 - 60	Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2A;H319	No data available

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

The specific chemical identity and/or exact percentage of composition are withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

### Section 4. First aid measures

#### Description of first aid measures

##### General

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

##### Inhalation

Remove to fresh air, keep patient warm and at rest. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

##### Eyes

Irrigate copiously with clean water for at least 30 minutes, holding the eyelids apart and seek medical attention. Remove contact lenses, if present and easy to do.  
Continue rinsing.

##### Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Drench affected area with water for at least 30 minutes.  
Obtain medical attention if irritation develops or persists.

##### Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### Most important symptoms and effects, both acute and delayed

##### Overview

Causes serious eye irritation. Causes mild skin irritation.

**Acute Health Effects:** the substance is irritating to the eyes and skin. .

EYE: Contact causes severe irritation with redness and swelling of the conjunctiva.

SKIN: Prolonged exposure may cause skin irritation.

INHALATION: Prolonged exposure may cause irritation of the upper respiratory passages.

INGESTION: Ingestion may cause adverse effects.

**Indication of Any Immediate Medical Attention and Special Treatment Needed:** If exposed or concerned, get medical advice and attention.

See section 2 for further details.

**Eyes** Causes serious eye irritation.  
**Skin** Causes skin irritation.

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable extinguishing media:** Do not use water jet, or heavy water stream. Use of heavy stream of water may spread fire.

### Special hazards arising from the substance or mixture

Hazardous decomposition: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean up immediately after fire. No smoking.

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Firefighting Instructions:** Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. **Exercise caution when fighting any chemical fire.**

**Hazardous reactions** will not occur under normal conditions.

**Other Information:** Do not allow run-off from firefighting to enter drains or water courses.

**ERG Guide No.** ----

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**General Measures:** Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Prevent entry to sewers and public waters. Avoid release to environment.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

**Methods and material for containment and cleaning up**

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

**Methods for Clean up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area. Equip cleanup crew with proper protection.

## **Section 7. Handling and storage**

**Precautions for safe handling**

Handle containers carefully to prevent damage and spillage.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

**Conditions for safe storage, including any incompatibilities**

Store in a dry, cool and well-ventilated place. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Comply with applicable regulations.

**Incompatible materials:** Strong acids, strong bases, strong oxidizers.

See section 2 for further details. - [Storage]:

**Specific end use(s)**

Municipal wastewater and industrial water and wastewater treatment for the removal of turbidity, color, suspended solids and phosphorus. Sludge compaction and volume reduction. Lagoon treatment. Oily wastewater clarification and dissolved air flotation. Emulsion breaking.

**Restrictions on use:**

Not available

**Section 8. Exposure controls / personal protection**
**Control parameters**
**Exposure Limits**

CAS No.	Ingredient	Source	Value
53810-32-5	Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> )	ACGIH	No Established Limit
		OSHA	No Established Limit
		NIOSH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

**Exposure controls**
**Respiratory**

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Eyes**

Chemical safety goggles. A faceshield should also be used if a higher splash potential exists.

**Skin**

Avoid skin contact. Avoid skin contact. Wear protective gloves. Wear suitable protective clothing.

**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Engineering Controls**

**Exposure Controls Appropriate Engineering Controls:** Emergency eyewash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Other Work Practices**

Put on appropriate personal protective equipment. Chemically compatible gloves, protective clothing, and chemical resistant safety goggles. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours. Do not get in eyes, on skin, or on clothing. Use appropriate personal protection

equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## **Section 9. Physical and chemical properties**

### **Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid
<b>Color</b>	Clear to blue green
<b>Odor</b>	Odorless
<b>Odor threshold</b>	No available information
<b>Melting point / freezing point</b>	0°C (32°F)
<b>Initial boiling point and boiling range</b>	No available information
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	Lower Explosive Limit: No available information Upper Explosive Limit: No available information
<b>Flash Point</b>	No available information
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>pH</b>	3 - 4
<b>Viscosity (cSt)</b>	No available information
<b>Solubility in Water</b>	Completely Soluble in water.
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Vapour pressure (Pa)</b>	No available information
<b>Relative Density</b>	No available information
<b>Vapour Density</b>	No available information
<b>Evaporation rate (Ether = 1)</b>	No available information
<b>Specific Gravity</b>	1.32 - 1.34
<b>Density (pounds/gallon)</b>	11.0 - 11.2
<b>Other information</b>	No other relevant information.

## Section 10. Stability and reactivity

### Reactivity

Hazardous reactions will not occur under normal conditions

### Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### Possibility of hazardous reactions

Hazardous polymerization will not occur.

### Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

### Incompatible materials

Strong acids, strong bases, strong oxidizers.

### Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Product Acute Toxicity Estimates	NA	NA	NA	NA	NA

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> ) - (53810-32-5)	No data available.	No data available.	No data available.	No data available.	No data available.

### Carcinogen Data

CAS No.	Ingredient	Source	Value
53810-32-5	Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> )	IARC	No
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.



Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

**Possible routes of entry:**

Inhalation, ingestion, skin contact, and skin absorption.

**Symptoms and effects, both acute and delayed:**

Causes serious eye irritation. Causes mild skin irritation.

**Acute Health Effects:** the substance is irritating to the eyes and skin. .

EYE: Contact causes severe irritation with redness and swelling of the conjunctiva.

SKIN: Prolonged exposure may cause skin irritation.

INHALATION: Prolonged exposure may cause irritation of the upper respiratory passages.

INGESTION: Ingestion may cause adverse effects.

**Indication of Any Immediate Medical Attention and Special Treatment Needed:** If exposed or concerned, get medical advice and attention.

**Eyes** Causes serious eye irritation.

**Skin** Causes skin irritation.

**Section 12. Ecological information**
**Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> ) - (53810-32-5)	No data available.	No data available.	No data available.

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB/vPvM chemicals.

**Other adverse effects**

No available information

**Section 13. Disposal considerations**
**Waste treatment methods**

Dispose of waste material in accordance with all local, regional, federal, provincial, state, territorial and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Section 14. Transport information**

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

**DOT (Domestic Surface Transportation)**

<b>UN number</b>	Not Regulated
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	Not Applicable
<b>Sub Class</b>	Not Applicable
<b>Packing group</b>	Not Applicable

**TDG (Domestic Surface Transportation)**

<b>UN number</b>	Not Regulated
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	Not Applicable
<b>Sub Class</b>	Not Applicable
<b>Packing group</b>	Not Applicable

**IMO / IMDG (Ocean Transportation)**

<b>UN number</b>	Not Regulated
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	Not Applicable
<b>Sub Class</b>	Not Applicable
<b>Packing group</b>	Not Applicable

ICAO/IATA	
<b>UN number</b>	Not Regulated
<b>UN proper shipping name</b>	Not Regulated
<b>Transport hazard class(es)</b>	Not Applicable
<b>Sub Class</b>	Not Applicable
<b>Packing group</b>	Not Applicable

**Environmental hazards**

IMDG Marine Pollutant: No;

**Special precautions for user**

No available information

**Section 15. Regulatory information**

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA)** All components of this material are either listed or exempt from listing on the TSCA Inventory.


**NFPA Ranking**

Health (blue) :2

Fire (red) :0

Reactivity (yellow) :0

Special (white) :--


**Toxic Substance Control Act (TSCA)**

Aluminum hydroxide sulfate (Al<sub>4</sub>(OH)<sub>6</sub>(SO<sub>4</sub>)<sub>3</sub>) (Present)

Water

**CERCLA Chemicals and RQs:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Canadian Domestic Substance List (DSL):**

Aluminum hydroxide sulfate ( $\text{Al}(\text{OH})_3(\text{SO}_4)_2$ )

Water

**Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%) :**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Pennsylvania RTK Substances (>1%) :**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> ) (53810-32-5)	Yes	No	Yes	Yes	No	No	No	No

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSC	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Aluminum hydroxide sulfate (Al <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>3</sub> ) (53810-32-5)	Yes	No	No	No	No	No	Yes	Yes

### Section 16. Other information

**Revision Date** 11/03/2025

**Revision Number** 4

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document