



# Sulfuric Acid, 30 -51%

## Safety Data Sheet

Safety Data Sheet #: CHE-1020S

Revision Date: May 3, 2023

Version: 5.0

### 1. Identification

#### Product identifier

**Product Identity** Sulfuric Acid 30-51%

**Other means of identification** Sulfuric Acid, 30 - 51%

**Product Form** Mixture

**Relevant identified uses of the substance or mixture and uses advised against**  
Industrial applications; battery electrolyte.

#### Restrictions on use:

Not available.

#### Details of the supplier of the safety data sheet

**Company Name** Chemtrade Logistics Inc. (Canada)  
155 Gordon Baker Road Suite 300  
Toronto, Ontario M2H 3N5

Chemtrade Logistics Inc. (US)  
90 East Halsey Road, Suite 200  
Parsippany, NJ 07054

#### Emergency

**24 hour Emergency Telephone No.** Chemtrade Emergency Contact: (866) 416-4404  
(Toronto)  
CHEMTREC +1-800-424-9300  
For Chemical Emergency, Spill, Leak, Fire, Exposure,  
or Accident, call CHEMTREC – Day or Night

**Customer Service: Chemtrade Logistics Inc. (Canada)** For SDS Info: (416) 496-5856  
[www.chemtradelogistics.com](http://www.chemtradelogistics.com)

### 2. Hazard(s) identification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### Classification of the substance or mixture

Metal corrosion; H290 May be corrosive to metals.

Skin corrosion/irritation category 1A; H314 Causes severe skin burns and eye damage.

Serious eye damage / eye irritation, category 1;  
H318 Causes serious eye damage.

#### Label elements



**Danger**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**[Prevention]:**

P234 Keep only in original container.

P260 Do not breathe dust, fume, mist, vapours or spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.

**[Response]:**

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER, doctor or physician.

P331 Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

**[Storage]:**

P405 Store locked up.

P406 Store in a corrosive resistant, container with a resistant inner liner.

**[Disposal]:**

P501 Dispose of contents or container in accordance with local and national regulations.

**2.3. Other hazards**

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

**3. Composition/information on ingredients**

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sulfuric acid CAS Number: 0007664-93-9 Synonyms: Sulfuric acid (acid aerosols including mists, vapours, gas, fog, and other airborne forms of any particle size), Sulphuric acid	30 – 51	Skin corrosion/irritation category 1A;H314: C ≥ 15 % Skin corrosion/irritation category 2;H315: 5 % ≤ C < 15 % Serious eye damage / eye irritation, category 2;H319: 5 % ≤ C < 15 % Metal corrosion;H290 Serious eye damage / eye irritation, category 1;H318	No data available

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

The specific chemical identity and/or exact percentage of composition are withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

## Section 4. First aid measures

### Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

#### Inhalation

Remove to fresh air, keep patient warm and at rest. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

#### Eyes

Irrigate copiously with clean water for at least 30 minutes, holding the eyelids apart and seek medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Drench affected area with water for at least 30 minutes. Obtain medical attention if irritation develops or persists.

#### Ingestion

If swallowed, rinse mouth. Obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

#### Overview

Contact with skin causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory track.

#### Acute Health Effects

The substance causes serious eyes damage, severe burns, and is corrosive to the respiratory tract. Eye, skin, and lung burning may be caused with exposure to mist.

EYE: Contact causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva with redness, pain, swelling, blurred vision, and severe burns (Immediate). No delayed effects from eye contact are expected. No chronic effects from eye contact are known.

SKIN: Causes severe irritation which, will progress to chemical burns. Symptoms may include redness, pain, serious skin burns, and blisters. (Immediate). No delayed effects from skin contact are expected. No chronic effects from skin contact are known.

**INHALATION:** May be corrosive to the respiratory tract. Prolonged exposure may cause irritation of the upper respiratory passages. (Immediate). May cause delayed pulmonary edema. No chronic effects from inhalation are known.

**INGESTION:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract (Immediate). No delayed symptoms from ingestion are expected. No chronic effects from ingestion are known.

**Target Organ Statement:** Contains material which may cause damage to the gastrointestinal tract and respiratory tract.

**Indication of Any Immediate Medical Attention and Special Treatment Needed:** If exposed or concerned, get medical advice and attention. See section 2 for further details.

<b>Eyes</b>	Causes serious eye damage.
<b>Skin</b>	Causes severe skin burns and eye damage.
<b>Chronic effects</b>	<b>Chronic Symptoms:</b> Strong inorganic acid mists containing sulfuric acid are carcinogenic to humans. Prolonged inhalation of fumes or mists may cause erosion of the teeth.

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable Extinguishing Media:** Use an extinguishing agent suitable for the surrounding fire. Dry chemical, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use water. Do not get water inside containers. Do not apply water stream directly at source of leak.

### Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition generates corrosive vapours.

Keep only in original container.

Do not breathe dust, fume, mist, vapours or spray.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean up immediately after fire. No smoking.

**Fire Hazard:** Product is not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction. This product may act as an oxidizer.

**Firefighting Instructions:** Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers.

**Exercise caution when fighting any chemical fire.** Under fire conditions, hazardous fumes will be present.

**Hazardous reactions** will not occur under normal conditions.

**Hazardous Combustion Products:** Corrosive vapours. Toxic fumes may be released.

**Other Information:** Do not allow run-off from firefighting to enter drains or water ways.

**ERG Guide No.** 157

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**General Measures:** Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. See Section 8.

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

### Environmental precautions

Prevent entry to sewers and public waters. Avoid release to environment.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

### Methods and material for containment and cleaning up

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

**Methods for Clean up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area. Equip cleanup crew with proper protection.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Store locked up.

Do not add water to contents while in container because of violent reaction. Always add slowly and in small amounts. Never use hot water. Never add water to acids-always add acids to water.

See section 2 for further details. - [Prevention]:

### Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from extremely high or low temperatures and incompatible materials. Store in original container or corrosive resistant container with an acid-resistant liner.

Comply with applicable regulations.

**Incompatible materials:** Combustible materials. Reducing agents. Strong oxidizers. Strong bases. Metals. Water.

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse.

Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.

Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

See section 2 for further details. - [Storage]:

**Specific end use(s)**

Industrial applications; battery electrolyte.

**Restrictions on use:**

Not available.

**Section 8. Exposure controls / personal protection**

**Control parameters**


**Exposure**

CAS No.	Ingredient	Source	Value
0007664-93-9	Sulfuric acid	ACGIH	TWA: 0.2 mg/m <sup>3</sup>
		OSHA	TWA 1 mg/m <sup>3</sup>
		NIOSH	TWA 1 mg/m <sup>3</sup>
		Alberta	1 mg/m <sup>3</sup> TWA 3 mg/m <sup>3</sup> STEL
		British Columbia	0.2 mg/m <sup>3</sup> TWA (contained in strong inorganic acid mists, thoracic)
		Manitoba	0.2 mg/m <sup>3</sup> TWA (thoracic particulate matter)
		New Brunswick	1 mg/m <sup>3</sup> TWA 3 mg/m <sup>3</sup> STEL
		Newfoundland and Labrador	0.2 mg/m <sup>3</sup> TWA (thoracic particulate matter)
		Nova Scotia	0.2 mg/m <sup>3</sup> TWA (thoracic particulate matter)
		Northwest Territories	0.2 mg/m <sup>3</sup> TWA (thoracic fraction, strong acid mists only) 0.6 mg/m <sup>3</sup> STEL (thoracic fraction, strong acid mists only)
		Nunavut	0.2 mg/m <sup>3</sup> TWA (thoracic fraction) 0.6 mg/m <sup>3</sup> STEL (thoracic fraction)
		Ontario	0.2 mg/m <sup>3</sup> TWA (thoracic)
		Prince Edward Island	0.2 mg/m <sup>3</sup> TWA (thoracic particulate matter)
		Quebec	1 mg/m <sup>3</sup> TWA EV 3 mg/m <sup>3</sup> STEV
		Saskatchewan	0.2 mg/m <sup>3</sup> TWA (thoracic fraction) 0.6 mg/m <sup>3</sup> STEL (thoracic fraction)
Yukon	1 mg/m <sup>3</sup> TWA 1 mg/m <sup>3</sup> STEL		

**Exposure controls**

**Respiratory**

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.



- Eyes** Wear chemical safety goggles and face shield. **Where higher splash potential exists** (e.g., loading, unloading, line breaking, sampling of sulfuric acid), wear goggles and face shield with side and chin protection: chemical and impact resistant.
- Skin** Wear chemical resistant gloves: Poly vinyl chloride (PVC), nitrile, viton™ (a trademark of the Chemours company), butyl or butyl rubber. Wear chemical resistant clothing. **Where higher splash potential exists** (e.g., loading, unloading, line breaking, sampling of sulfuric acid), wear hardhat and chemical splash shroud, chemical resistant jacket and pants or bib overalls: PVC, neoprene, PVC coated polyester, or CPC Polyester Trilaminate Gore®. Follow all posted PPE requirements.
- Engineering Controls** **Exposure Controls Appropriate Engineering Controls:** Emergency eyewash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- Other Work Practices** Put on appropriate personal protective equipment. Chemically compatible gloves (e.g., PVC, nitrile, Viton™ (a trademark of the Chemours company), butyl or butyl rubber), Chemical resistant clothing (e.g., PVC, neoprene, PVC coated polyester, or CPC Polyester Trilaminate Gore®), and chemical resistant safety goggles and face shield. Where there is insufficient ventilation: wear respiratory protection. **WHERE HIGHER SPASH POTENTIAL EXISTS** (e.g., loading, unloading, line breaking, sampling of sulfuric acid), wear hard hat and chemical splash shroud, chemical resistant jacket and pants or bib overalls: PVC, neoprene, PVC coated polyester, or CPC Polyester Trilaminate Gore®. Follow all posted PPE requirements **AND** wear goggles and face shield with side and chin protection: chemical and impact resistant. Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Promptly remove soiled clothing and wash thoroughly before reuse. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, and vapours.
- Do not get in eyes, on skin, or on clothing. Use appropriate personal protection equipment (PPE). Wear protective gloves, eye protection, face protection (refer to section 8 for more details).

See section 2 for further details.

## Section 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Color</b>	Clear
<b>Odor</b>	Odourless

Freezing point	-37.4 C (-35.3 F) @30.79% -34.1 C (-29.3 F) @50.87%
Initial boiling point and boiling range	109°C (229°F) @ 32.05% 127°C (260°F) @ 50.87%
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	<b>Lower Explosive Limit:</b> No available information <b>Upper Explosive Limit:</b> No available information
Flash Point	Not flammable
Auto-ignition temperature	Not flammable
Decomposition temperature	No available information
pH	0
Viscosity (cSt)	No available information
Solubility in Water	Completely Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapour pressure (Pa)	0.52 @ 30%; 2.10 @ 40%; 4.60 @ 50%
Relative Density	3.4 (air=1)
Vapour Density	No available information
Evaporation rate (Ether = 1)	No available information
Specific Gravity	1.2288 @ 30.79% 1.4078 @50.87%
Other information	No other relevant information.

### Section 10. Stability and reactivity

#### Reactivity

May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction. This product may act as an oxidizer.

#### Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### Conditions to avoid

Extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.

#### Incompatible materials

Combustible materials. Reducing agents. Strong oxidizers. Strong bases. Metals. Water.

#### Hazardous decomposition products

Thermal decomposition generates: corrosive vapours.



### Section 11. Toxicological information

#### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Product Acute Toxicity Estimates	4196	NA	NA	NA	NA

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sulfuric acid - (7664-93-9)	2,140.00, Rat - Category: 5	No data available	510.00, Rat - Category: NA	No data available	No data available

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0007664-93-9	Sulfuric acid	IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A2 (in strong inorganic acid mists)

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

#### Symptoms and effects, both acute and delayed:

Contact with skin causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory track.

**Acute Health Effects:** The substance causes serious eyes damage, severe burns, and is corrosive to the respiratory tract. Eye, skin, and lung burning may be caused with exposure to mist.

**EYE:** Contact causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva with redness, pain, swelling, blurred vision, and severe burns (Immediate). No delayed effects from eye contact are expected. No chronic effects from eye contact are known.

**SKIN:** Causes severe irritation which, will progress to chemical burns. Symptoms may include redness, pain,

serious skin burns, and blisters. (Immediate). No delayed effects from skin contact are expected. No chronic effects from skin contact are known.

**INHALATION:** May be corrosive to the respiratory tract. Prolonged exposure may cause irritation of the upper respiratory passages. (Immediate). May cause delayed pulmonary edema. No chronic effects from inhalation are known.

**INGESTION:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract (Immediate). No delayed symptoms from ingestion are expected. No chronic effects from ingestion are known.

**Target Organ Statement:** Contains material which may cause damage to the gastrointestinal tract and respiratory tract.

**Indication of Any Immediate Medical Attention and Special Treatment Needed:** If exposed or concerned, get medical advice and attention.

**Most likely route(s) of exposure** Skin, Eyes

**Eyes** Causes serious eye damage.

**Skin** Causes severe skin burns and eye damage.

**Chronic effects** **Chronic Symptoms:** Strong inorganic acid mists containing sulfuric acid are carcinogenic to humans. Prolonged inhalation of fumes or mists may cause erosion of the teeth.

## Section 12. Ecological information

### Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sulfuric acid - (7664-93-9)	27.00, <i>Lepomis macrochirus</i>	101.00, <i>Daphnia magna</i>	101.00 (72 hr), <i>Desmodesmus subspicatus</i>

### Persistence and degradability

There is no data available on the preparation itself.

### Bioaccumulative potential

No available information

### Mobility in soil

No available information

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### Other adverse effects

No available information

## Section 13. Disposal considerations

### Waste treatment methods

Dispose of waste material in accordance with all local, regional, federal, provincial, state, territorial and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

### Section 14. Transport information



Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations.

	DOT / TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
<b>UN number</b>	UN2796	UN2796	UN2796
<b>UN proper shipping name</b>	UN2796,Sulfuric acid with not more than 51% acid,8,II	Sulfuric acid with not more than 51% acid	Sulfuric acid with not more than 51% acid
<b>Transport hazard class(es)</b>	<b>TDG Hazard Class: 8</b> <b>Sub Class: Not Applicable</b>	<b>IMDG: 8</b> <b>Sub Class: Not Applicable</b>	<b>Air Class: 8</b> <b>Sub Class: Not Applicable</b>
<b>Packing group</b>	II	II	II
<b>Environmental hazards</b>	Marine Pollutant: No;		

#### Special precautions for user

No available information

### Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

#### NFPA Ranking

Health (blue) :3

Fire (red) :0

Reactivity (yellow) :2

Special (white) :ACID



**Note:** Strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid mist. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that

this chemical mixture is "known to be a human carcinogen." (Public notice available at [http://www.oehha.ca.gov/prop65/CRNR\\_notices/admin\\_listing/intent\\_to\\_list/noil19b4.html](http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/noil19b4.html).) ]

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

**Toxic Substance Control Act ( TSCA):**

Sulfuric acid (Present)

Water ( )

**EPCRA 311/312 Chemicals and RQs (lbs):**

Sulfuric acid ( 1,000.00)

**Canadian Domestic Substance List (DSL):**

Sulfuric acid

Water

**Canadian Non-Domestic Substance List (NDSL):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%):**

Sulfuric acid

**Pennsylvania RTK Substances (>1%):**

Sulfuric acid

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

The specific CAS# 0007664-93-9 is not listed on the most current California Proposition 65 list. However, strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid mist. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that this chemical mixture is "known to be a human carcinogen." (Public notice available at [http://www.oehha.ca.gov/prop65/CRNR\\_notices/admin\\_listing/intent\\_to\\_list/noil19b4.html](http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/noil19b4.html).)] This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

The specific CAS# 0007664-93-9 is not listed on the most current California Proposition 65 list. However, strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid mist. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that this chemical mixture is "known to be a human carcinogen." (Public notice available at [http://www.oehha.ca.gov/prop65/CRNR\\_notices/admin\\_listing/intent\\_to\\_list/noil19b4.html](http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/noil19b4.html).)]

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Sulfuric acid (0007664-93-9)	Yes	Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Sulfuric acid (0007664-93-9)	Yes	Yes	Yes	Yes	No	No	Yes	Yes

<b>Section 16. Other information</b>
--------------------------------------

**Revision Date** 05/03/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.

Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document

### Revision Summary

Section :	Modification
1	Updated contact information and end use
2	Updated hazard information
4	Modified language
5	Modified language
6	Modified language
7	Modified language
8	Modified language
9	Updated information
11	Modified language
12	Modified language
13	Modified language
14	Modified language
15	Modified language

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care™.

